



Celerity 8Gb Fibre Channel Release v2.01 - Linux

1. General Release Information

These product release notes define the new features, changes, known issues and release details that apply to the Celerity 8-Gb Fibre Channel adapter product v2.01 that was released on 09/1/2016. This information pertains to the Linux OS Red Hat, Fedora, Cent OS, Novell SLES/openSUSE.

2. Changes

- **Version 2.01 (Released 09/01/2016)**
 - **Note:** It is recommended that latest firmware available on ATTO website be utilized with this driver release.
 - **New Features/Enhancements**
 - General improvements

- **Version 1.96 (Released 05/09/2016)**
 - **Note:** It is recommended that latest firmware available on ATTO website be utilized with this driver release.
 - **New Features/Enhancements**
 - Corrected an issue with Reinstate Recovery Qualifier not being properly rejected when sent by a target to the adapter.

- **Version 1.95 (Released 01/21/2016)**
 - **Note:** It is recommended that latest firmware available on ATTO website be utilized with this driver release.
 - **New Features/Enhancements**
 - Updates to CLI tools and readme

- **Version 1.90 (Released 8/06/2015)**
 - **Note:** It is recommended that latest firmware available on ATTO website be utilized with this driver release.
 - **New Features/Enhancements**
 - Implemented T10-PI management improvements

- **Version 1.85 (Released 3/19/2015)**
 - **Note:** It is recommended that latest firmware available on ATTO website be utilized with this driver release.
 - **New Features/Enhancements**
 - Added support for Fedora 21
 - Added support for SUSE Linux Enterprise Server 12
 - Resolved an RSCN discovery issue.
 - **Supported OS**
 - RHEL 6, 7
 - SLES 12
 - Fedora 20, 21
 - openSUSE 12.3 & 13.1
 - CentOS 6, 7

- **Version 1.80 (Released 10/30/2014)**
 - **Note:** It is recommended that latest firmware available on ATTO website be utilized with this driver release.
 - **New Features/Enhancements**
 - Added support for RHEL 7
 - Addressed a model description error
 - **Supported OS**
 - RHEL 5, 6, 7
 - SLES 11 SP2, 11 SP3
 - Fedora 19, 20
 - openSUSE 12.3 & 13.1
 - CentOS 5, 6, 7

- **Version 1.70 (Released 8/28/2014)**
 - **Note:** It is recommended that latest firmware available on ATTO website be utilized with this driver release.
 - **New Features/Enhancements**
 - Added new display information for atmpinfo
 - Added support for atreset
 - Added support for device display in atinfo

- **Version 1.65 (Released 3/27/2014)**
 - **Note:** It is recommended that latest firmware available on ATTO website be utilized with this driver release.
 - **New Features/Enhancements**
 - Corrected issue with Execution Throttle that could prevent I/O from being started

- **Version 1.60 (Released 2/06/2014)**
 - **Note:** It is recommended that latest firmware available on ATTO website be utilized with this driver release.
 - **New Features/Enhancements**
 - Adjusted DMA mask setting for improved performance.

- **Version 1.55 (Released 6/27/2013)**
 - **Note:** It is recommended that latest firmware available on ATTO website be utilized with this driver release.
 - **New Features/Enhancements**
 - Added support for SCST – contact ATTO for SCST kit.

- **Version 1.50 (Released 4/17/2013)**
 - **Note:** It is recommended that latest firmware available on ATTO website be utilized with this driver release.
 - **New Features/Enhancements**
 - Added support for Fedora 17 & 18
 - Added support for openSUSE 12.3
 - Sleep Mode Improvements
 - Fixed compile issue with kernel 3.7 and 3.8
 - **Supported OS**
 - RHEL 5
 - RHEL 6
 - SLES 11 SP1
 - SLES 11 SP2
 - Fedora 17
 - Fedora 18
 - openSUSE 12.2
 - openSUSE 12.3
 - CentOS 5
 - CentOS 6
 -

- **Version 1.45 (Released 3/7/2013)**
 - **Note:** It is recommended that latest firmware available on ATTO website be utilized with this driver release.
 - **New Features/Enhancements**
 - Added support for Execution Throttle.

Version 1.34 (Released 5/4/2012)

- **Note:** It is recommended that latest firmware available on ATTO website be utilized with this driver release.
- **New Features/Enhancements**
 - Addressed an incompatibility with certain Promise devices running in Point-to-Point.

- **Version 1.33 (Released 2/2/2012)**

- **Note:** It is recommended that latest firmware available on ATTO website be utilized with this driver release.
- **New Features/Enhancements**
 - Made adjustment regarding bus reset handling.

- **Version 1.32 (Released 7/29/2011)**

- **Note:** It is recommended that latest firmware available on ATTO website be utilized with this driver release.
- **New Features/Enhancements**
 - Resolved instances of kernel panics occurring when removing the ATTO driver while drives are being spun up.
 - New system logging macros are being used.
 - Contains fix for dropped PLOGIs or PRLIs.
- **Supported OS (updated list)**
 - RHEL 5
 - RHEL 6
 - SLES 10
 - SLES 11
 - SLES 11 SP1
 - Fedora 14
 - Fedora 15
 - openSUSE 11
 - CentOS 5
 - CentOS 6

- **Version 1.30 (Released 3/31/2011)**

- **Note:** It is recommended that latest firmware available on ATTO website be utilized with this driver release.
- **New Features/Enhancements**
 - Feature Improvement related to command out operation
 - Various improvements related to Target Mode operation

- **Version 1.24 (Released 12/7/2010)**

- **Note:** It is recommended that latest firmware available on ATTO website be utilized with this driver release.
- **New Features/Enhancements**
 - Feature improvement related to task management.
 - Improved the adapter recovery after a reset with a pending interrupt.
 - Added support for Red Hat Enterprise Linux 6.

- **Version 1.23 (Released 7/30/2010)**

- **Note:** It is recommended that latest firmware available on ATTO website be utilized with this driver release.
- **New Features/Enhancements**
 - Support added for T10-DIF

- The command line switch T10Dif has the default setting as 0 (disabled). To enable, change setting to one (1).
 - When enabled, the driver will detect if a disk drive is formatted for T10-DIF. Upon detection of T10-DIF, the driver will automatically generate the DIF field on the writes, and check it on the reads.
 - This feature does not provide a mechanism to format the drive.
- **Version 1.12 (Released 8/31/2009)**
 - **Note:** It is recommended that firmware dated 091119 be utilized with this driver release.
 - **New Features/Enhancements**
 - Expanded support for the Linux transport layer (IR 6558)
 - Enhancements to abort and reset handling
 - Removed the num_ioreq and low_memory_mode driver parameters
- **Version 1.10 (Released 5/20/2009)**
 - **Note:** It is recommended that firmware dated 090501 be utilized with this driver release.
 - **New Features/Enhancements**
 - Added support for the Linux SCSI transport layer
 - Incorporated TSDK 6.10
 - Resolved multiple compilation errors
- **Version 1.0 (Released 8/26/2008)**
 - **Note:** It is recommended that firmware dated 8/26/08 be utilized with this driver release.
 - **New Features/Enhancements**
 - Initial release of Linux drivers for the Celerity 8Gb FC adapters
 - **Supported OS**
 - RedHat 4 (x86, x64)
 - RedHat 5 (x86, x64)
 - SuSE 9 (x86, x64)
 - SuSE 10 (x86, x64)
 - Fedora Core 7 (x86, x64)
 - Fedora Core 8 (x86, x64)

3. Known Issues/Advisements

- Fibre Channel performance can be reduced significantly if the 8Gb Celerity HBA is placed in a Supermicro main board that uses the Intel 5520 (Tylersburg) chipset. The workaround is to disable Active State Power Management (ASPM) within the Linux Operating System (not the bios as Linux does not honor ASPM bios settings). Contact ATTO Tech Support for more information.
- Controller path discovery doesn't occur after a controller reset of a directly attached NetApp storage.

4. Affected Products

| Product Name | SKU |
|------------------|---------------|
| Celerity FC 81EN | CTFC-81EN-000 |
| Celerity FC 82EN | CTFC-82EN-000 |
| Celerity FC 84EN | CTFC-84EN-000 |

5. Contacting ATTO Support

ATTO Technology, Inc. is renowned for its technical support services. ATTO's goal is to provide you the quickest response possible for your technical support needs. Please visit <https://www.attotech.com/support/> for hours of operation.

ATTO Technical Support can be contacted via phone or email:

- Phone: 716.691.1999 ext. 242
- E-Mail: techsupport@attotech.com

